


00920 2274260

FIG.1



[illegible]

00000000000000000000000000000000

[illegible]

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

00920' 2274200

FIG.3

ONE-TOUCH NUMBER	G3-FAX FUNCTION	TELEPHONE NUMBER	INTERNET FAX FUNCTION	INTERNET FAX ADDRESS	RECEIVER INFORMATION
01	PRESENT	012 - 345 - 6789	PRESENT	ifax1@canxx.co.jp	NONE
02	ABSENT		PRESENT	ifax2@canxx.co.jp	A4, 200DPI, MH
03	PRESENT	098 - 765 - 4321	PRESENT	ifax3@canxx.com	B4, 400DPI, JBIG
04	PRESENT	012 - 123 - 1234	ABSENT		
05					
06					
07					

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.4






FIG.5



00277172-032600

Lat.	Long.	Time	Alt.	Obs.	Calc.	Diff.
33°	111°	00:00	10.0	10.0	10.0	0.0
33°	111°	01:00	10.0	10.0	10.0	0.0
33°	111°	02:00	10.0	10.0	10.0	0.0
33°	111°	03:00	10.0	10.0	10.0	0.0
33°	111°	04:00	10.0	10.0	10.0	0.0
33°	111°	05:00	10.0	10.0	10.0	0.0
33°	111°	06:00	10.0	10.0	10.0	0.0
33°	111°	07:00	10.0	10.0	10.0	0.0
33°	111°	08:00	10.0	10.0	10.0	0.0
33°	111°	09:00	10.0	10.0	10.0	0.0
33°	111°	10:00	10.0	10.0	10.0	0.0
33°	111°	11:00	10.0	10.0	10.0	0.0
33°	111°	12:00	10.0	10.0	10.0	0.0
33°	111°	13:00	10.0	10.0	10.0	0.0
33°	111°	14:00	10.0	10.0	10.0	0.0
33°	111°	15:00	10.0	10.0	10.0	0.0
33°	111°	16:00	10.0	10.0	10.0	0.0
33°	111°	17:00	10.0	10.0	10.0	0.0
33°	111°	18:00	10.0	10.0	10.0	0.0
33°	111°	19:00	10.0	10.0	10.0	0.0
33°	111°	20:00	10.0	10.0	10.0	0.0
33°	111°	21:00	10.0	10.0	10.0	0.0
33°	111°	22:00	10.0	10.0	10.0	0.0
33°	111°	23:00	10.0	10.0	10.0	0.0

FIG.7




66920-222200

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

RECEIVED
 10125
 10125

10125
 10125

FIG.8




00920-212200

RECEIVED
 10125
 10125

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
CRAFTSMAN		

FIG.9



00920-2272200

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.10

DIS X BIT	DIS (X+1) BIT	DIS (X+2) BIT	DESCRIPTION
0	0	0	NO INTERNET FAX MODE
0	0	1	SIMPLE MODE
0	1	0	FULL MODE
0	1	1	SIMPLE MODE & FULL MODE
1	0	0	REALTIME MODE
1	0	1	REALTIME MODE & SIMPLE MODE
1	1	0	REALTIME MODE & FULL MODE
1	1	1	REALTIME MODE & SIMPLE MODE & FULL MODE

000000-2272200

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.11

DCS X BIT	DCS (X+1) BIT	DCS (X+2) BIT	DESCRIPTION
0	0	0	NO INTERNET FAX MODE
0	0	1	SIMPLE MODE
0	1	0	FULL MODE
1	0	0	REALTIME MODE


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.12

FRAME MANE	DESCRIPTION
CSE	CALLED SUBSCRIBER E-MALE ADDRESS
CIE	CALLING SUBSCRIBER E-MALE ADDRESS
TSE	TRANSMITTING SUBSCRIBER E-MALE ADDRESS

00000 212200

FIG.13



000000-2272250


APPROVED	D.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.14

ONE-TOUCH NUMBER	G3-FAX FUNCTION	TELEPHONE NUMBER	INTERNET FAX FUNCTION	INTERNET FAX ADDRESS	ABBREVIATION OF COMMUNICATION PARTNER
01	PRESENT	012 - 345 - 6789	NONE		CANO G3FAX
02	ABSENT		SIMPLE	ifax@canxx.co.jp	CANO IFAX
03	PRESENT	098 - 765 - 4321	FULL	ifax@canxx.com	CANO G3/IFAX
04			REALTIME	rt.canxx.com	CANO IFAX-RT
05					
06					
07					

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG.15




00277172-032500

003200 2272260

FIG.16





8

